South American Publishing

SAP Social AI. 2026;2:84
doi: 10.62486/sai202684

SHORT COMMUNICATIONS

Impact of NVIDIA DLSS on Graphics Performance in Modern Video Games

Impacto del DLSS de NVIDIA en el rendimiento gráfico en videojuegos modernos

Yennifer Díaz Romero[1]
Ángel Santiago Salazar Segura[1]
Víctor Manuel Martínez García[2]
Pedro Antonio Valdez Lizárraga[3]

[1] Universidad Autónoma de Sinaloa, Facultad de Educación. Mazatlán, México.
[2] Universidad Autónoma de Sinaloa, Facultad de Arquitectura y Diseño. Mazatlán, México.
[3] Universidad Autónoma de Sinaloa, Escuela de Educación Física y Deporte. Mazatlán, México.

Submitted: 04-04-2026 | Revised: 08-06-2026 | Accepted: 22-07-2026 | Published: 23-07-2026

Corresponding Author: Víctor Manuel Martínez García

ABSTRACT

This study analyzed the impact of NVIDIA's Deep Learning Super Sampling (DLSS) technology on the graphics performance of modern video games through a qualitative, descriptive documentary research approach. Six scientific articles on super-resolution, convolutional neural networks, temporal reconstruction, and data-driven rendering were reviewed to identify the theoretical foundations underlying DLSS. The findings indicate that this technology integrates advances in deep learning to reconstruct high-quality images from lower-resolution inputs, improving graphics performance while maintaining visual quality. Furthermore, DLSS shares key principles with models such as SRGAN and ESRGAN, particularly the use of spatial and temporal information to optimize image reconstruction. It is concluded that DLSS represents a practical application of scientific advances in super-resolution, providing an efficient solution for real-time graphics processing.

Keywords: deep learning, DLSS, graphics performance, super-resolution, video games.

RESUMEN

El presente estudio analizó el impacto de la tecnología Deep Learning Super Sampling (DLSS) de NVIDIA en el rendimiento gráfico de los videojuegos modernos mediante una investigación documental de enfoque cualitativo y alcance descriptivo. Se revisaron seis artículos científicos sobre super resolución, redes neuronales convolucionales, reconstrucción temporal y renderización basada en datos para identificar los fundamentos teóricos que sustentan el funcionamiento de DLSS. Los resultados muestran que esta tecnología integra avances en aprendizaje profundo para reconstruir imágenes de alta calidad a partir de resoluciones inferiores, mejorando el rendimiento gráfico sin comprometer significativamente la calidad visual. Asimismo, se identificó que DLSS comparte principios con modelos como SRGAN y ESRGAN, destacando el uso de información espacial y temporal para optimizar la reconstrucción de imágenes. Se concluye que DLSS representa una aplicación práctica de los avances científicos en super resolución, ofreciendo una solución eficiente para el procesamiento gráfico en tiempo real.

Palabras clave: aprendizaje profundo, DLSS, rendimiento gráfico, super resolución, videojuegos.

© 2026; The Authors. This Open access article is distributed under CC BY 4.0 licence.

INTRODUCTION

This article presents an analysis of Deep Learning Super Sampling (DLSS), a visual reconstruction technology developed by NVIDIA that uses deep learning to generate higher-resolution images from lower-quality representations, thereby optimizing graphical performance in interactive applications. Using six key documents related to super-resolution, neural networks, and data-driven rendering, a technical and comparative analysis framework is constructed to support the research.

INTRODUCTION

Image super-resolution has evolved from traditional methods such as bicubic interpolation to techniques based on deep neural networks. Studies such as those by Ledig et al.1 introduced SRGAN, a generative model capable of producing images with greater perceptual realism. Subsequently, Wang et al.2 presented ESRGAN, which substantially improved the reconstruction of high-frequency details.

In parallel, research such as NTIRE 20173 consolidated benchmarks and metrics for evaluating super-resolution techniques, while more recent works[4] have explored temporal reconstruction in real-time rendering scenarios. Finally, Endo et al.[5], from NVIDIA Research, established theoretical foundations for data-driven rendering, a direct antecedent for DLSS.

Despite advances in deep learning-based super-resolution techniques, there is a lack of systematic academic analysis of the internal workings of DLSS and its comparison with models such as ESRGAN or SRGAN. Most existing studies focus on static super-resolution or general visual reconstruction techniques, but few address the application of these technologies in real-time rendering contexts.

This underscores the need to evaluate DLSS from both architectural and performance perspectives, identifying how much it improves visual quality, what limitations it presents, and what its impact is on graphics performance.

Objectives.

Analyze the operation and performance of NVIDIA's Deep Learning Super Sampling (DLSS) as a deep learning-based image reconstruction technique to evaluate its advantages, limitations, and contributions within the field of super-resolution and real-time rendering.

Specific

- Describe the internal operation of DLSS, including its neural network-based architecture and its real-time image reconstruction process.
- Compare the performance and visual quality of DLSS with other super-resolution methods, such as ESRGAN and traditional scaling techniques.
- Evaluate the impact of DLSS on graphics performance optimization, identifying its advantages, limitations, and contributions to visual processing.

Questions

- How does the deep learning-based reconstruction model used by DLSS work, and which elements of its architecture contribute to real-time visual improvement?
- To what extent does DLSS offer better image quality and performance compared to other super-resolution methods, such as ESRGAN or traditional techniques?
- What impact does DLSS have on the optimization of graphical performance and what are its main limitations?

Justification

Advances in super-resolution via deep learning have enabled the reconstruction of high-quality images with visual fidelity superior to that of traditional methods. Technologies such as SRGAN1 and ESRGAN2 have demonstrated outstanding results in detail reconstruction. In this context, DLSS emerges as an implementation for real-time rendering, combining computational efficiency with high-resolution image generation.

However, academic analysis of DLSS has been limited, as much of the information comes from industrial documentation. Based on the six selected documents, this work seeks to fill that gap through one comparative and technical study that allows understanding its operation, its improvements, and its limitations.

Theoretical Framework

Super-resolution imaging aims to obtain a high-resolution image from a lower-quality one, preserving edges and details. Studies such as SRGAN1 and ESR-GAN2 have demonstrated substantial improvements using generative adversarial networks. These architectures allow for the reconstruction of high-frequency details through deep learning.

Convolutional neural networks have played a fundamental role in these tasks due to their ability to extract hierarchical features from images3. Meanwhile, recent research such as that of Zhang et al.4 integrates temporal information to improve coherence between frames in super-resolution processes applied to rendering.

Finally, the concept of data-driven rendering presented by Endo et al.5 establishes a theoretical foundation for understanding technologies like DLSS, which employ trained models to replace or supplement stages of the traditional graphics pipeline.

METHODS

The series of ordered and specific steps that the researcher carried out to develop the type of research, the method, the tools used, and how the researcher interpreted what was obtained.

This research adopts a qualitative approach, as it focuses on the analysis, interpretation, and comparison of theoretical information from specialized scientific articles on super-resolution, convolutional neural networks, data-driven rendering, and real-time image reconstruction. It does not aim to measure variables through direct experimentation but rather to understand the functioning and technological implications of DLSS from an academic perspective.

Type of Research

The study is documentary-descriptive in nature, as it is based exclusively on the review, analysis, and interpretation of six previously selected scientific documents. Through these materials, the theoretical principles that support technologies such as temporal super-resolution, data-based rendering, and their conceptual relationship with DLSS are described.

Likewise, the research is non-experimental, as no variables are manipulated and no practical tests on hardware or software are applied.

The technique used for data collection was documentary review, using only the six previously selected scientific articles as the primary source.

Population and Sample

The research universe consists of all scientific articles, academic studies, and specialized research related to image super-resolution using deep learning, data-driven rendering, and real-time visual reconstruction technologies applied to computer graphics.

The sample consists of six pre-selected scientific articles that address super-resolution models, convolutional neural networks, generative super-resolution, and data-driven rendering. This sample was selected through non-probabilistic convenience sampling due to its high theoretical relevance and direct relationship with the object of study.

RESULTS

Synthesis of Results

From the analysis of the six selected documents, the fundamental principles that underpin super-resolution technology through deep learning were identified, along with the elements that enable an understanding of the conceptual functioning of NVIDIA's DLSS. The results allow a clear relationship to be established between the studied academic techniques—SRGAN, ESRGAN, convolutional models, temporal reconstruction, and data-based rendering—and the theoretical mechanisms used in real-time visual reconstruction.

Results derived from the analysis of super-resolution models

1. The use of generative adversarial networks (GANs), as in SRGAN and ESRGAN, represents a significant advancement in the ability of models to reconstruct fine details, textures, and edges, surpassing traditional interpolation and scaling methods. This demonstrates that deep network-based super-resolution is essential for modern techniques such as DLSS, which require reconstructing missing visual information in real time.
2. The improvements introduced by ESRGAN, such as the residual feedback block and the optimized perceptual loss, demonstrate that visual quality can be enhanced by avoiding smoothing effects and artifacts, which aligns with the image reconstruction objectives of intelligent upscaling systems such as DLSS.
3. The analyzed studies confirm that super-resolution models based on deep learning enable the generation of images with higher fidelity than traditional methods such as bicubic interpolation or Lanczos, thereby establishing the scientific basis that supports the deep learning-based reconstruction adopted by NVIDIA.

Results on temporal reconstruction and data-based rendering

1. The analysis of the article on temporal super-resolution shows that the use of information from previous frames contributes to increased visual stability and reduced artifacts such as ghosting and flickering. This ability to 'accumulate historical information' is a conceptual principle shared with DLSS in its temporal reconstruction process.
2. Based on the study by Endo et al.5, data-driven rendering enables the inference of missing information through models trained on massive image datasets, which supports the approach used by NVIDIA to reconstruct pixels that are not directly rendered.
3. The reviewed studies indicate that the combination of spatial and temporal data is key to efficient visual reconstruction, demonstrating that DLSS is based on concepts that have been widely explored in the scientific literature.

Results on the conceptual relationship between the analyzed models and DLSS

From the comparative analysis, the following key results were obtained:

1. DLSS theoretically aligns with deep network-based super-resolution models, as it uses advanced CNNs to reconstruct images at a higher resolution than that originally rendered.
2. The reviewed articles confirm that GANs and perceptual models are capable of generating details that do not exist in the original image, which is consistent with DLSS's ability to produce images that are visually more defined than those from native rendering.
3. Theoretical evidence suggests that the use of motion history, which is present in the reviewed temporal models, is a component consistent with the temporal reconstruction of DLSS.
4. Finally, the analyzed documents allow the conclusion that DLSS can be interpreted as a practical synthesis of scientific advances in super-resolution, data-based inference, and temporal reconstruction, although its specific implementation is not detailed in the public literature.

Answers to the research questions.

1. How does the deep learning-based reconstruction model used by DLSS work? It works based on principles derived from CNN and deep super-resolution, supported by models such as SRGAN and ESRGAN, and by perceptual reconstruction techniques.
2. To what extent does DLSS offer improvements compared to traditional methods? The analyzed documents show that deep learning-based models far outperform traditional methods, which theoretically supports the superiority of the approach used by DLSS.
3. What impact does DLSS have on graphics performance optimization? The findings show that reconstruction through deep learning allows rendering at lower resolutions without compromising visual quality, which conceptually coincides with the performance increase reported by technologies such as DLSS.

CONCLUSIONS

The documentary analysis allows the conclusion that super-resolution technologies based on deep learning have established the necessary theoretical foundations to understand the operation of DLSS. Although the latter is not explicitly detailed in the documents, its operating principles are consistent with the mechanisms studied in the reviewed research.

REFERENCES

1. Ledig C, Theis L, Huszár F, Caballero J, Cunningham A, Acosta A, et al. Photo-realistic single image super-resolution using a generative adversarial network (SRGAN). En: Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition (CVPR); 2017. p. 4681-4690.
2. Wang X, Yu K, Wu S, Gu J, Liu Y, Dong C, et al. ESRGAN: Enhanced super-resolution generative adversarial networks. En: Proceedings of the European Conference on Computer Vision (ECCV) Workshops; 2018. p. 0-0.
3. Timofte R, Agustsson E, Van Gool L, Xu J, et al. NTIRE 2017 challenge on single image super-resolution: Methods and results. En: Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition Workshops (CVPRW); 2017. p. 1110-1121.
4. Zhang J, Li S, Huang X, Chen Y. Advances in temporal super-resolution for real-time rendering. Comput Graph Forum. 2023;42(7):1-18.
5. Endo Y, Wetzstein G, Matsuoka T, Kelly P. Data-driven super resolution graphics. Santa Clara (CA): NVIDIA Research; 2023.

FUNDING

The authors did not receive funding for the development of this research.

CONFLICT OF INTEREST

The authors declare that there is no conflict of interest.

AUTHORSHIP CONTRIBUTIONS

Conceptualization: Ángel Santiago Salazar Segura
Data curation: Yennifer Díaz Romero
Formal analysis: Víctor Manuel Martínez García
Research: Ángel Santiago Salazar Segura
Methodology: Yennifer Díaz Romero
Project administration: Pedro Antonio Valdez Lizárraga
Software: Pedro Antonio Valdez Lizárraga
Supervision: Víctor Manuel Martínez García
Validation: Pedro Antonio Valdez Lizárraga
Visualization: Yennifer Díaz Romero
Writing – original draft: Ángel Santiago Salazar Segura
Writing – review and editing: Víctor Manuel Martínez García